

SOLAR PRO 2A

SOLAR BOLLARD LIGHT



The Solar Pro Plaza Bollard Light 2A offers classic plaza-style lighting with the benefits of solar power. It boasts high-performing LEDs with 360-degree illumination, designed for various environments. These heavy-duty solar bollard lights are water and dustproof (IP65 rated), requiring no maintenance and offering an optional sensor for improved lighting. Ideal for courtyards, streets, parks, wildlife areas, and more.

INTERGRADED SOLAR PANEL



- ✓ **Classic Plaza Bollard Style with 360 Degree Illumination**
- ✓ **Automatic Operation - Integrated Day/ Night Detection, Automatic Power On/ Off - Up to 4m Distance Sensor**
- ✓ **Compact, Sturdy Design, Made From Die-Cast Aluminium and High Quality Philips Leds**
- ✓ **Eco-Friendly And Safe Lifepo4 Battery Improves the Cyclic Charge and Discharge Over 2000 Times**
- ✓ **Enhance Security and Safety - Reliable Lighting in Case of Power Shortage**
- ✓ **Smart Management Backup - 23 Hours at Full Charge (3 Rainy Days)**



LEARN MORE

SPECIFICATIONS


SOLAR PRO 2A SOLAR BOLLARD LIGHT

Product Name	ETG-12CB006
Wattage (W)	3.5
Solar PV	6W Monocrystalline
Battery	LifePO4 lithium iron phosphate 28Ah
Lumens (Lm)	420
LED Chips	Philips Luxeon 30-30
CCT	5000K
Autonomy	24 hours at full charge (4 rainy days approx)
Solar Charging Time	6 hrs per day
Motion Sensor	Microwave motion sensor (360° degree with 8m detection radius)
Light Setting	100% brightness when approaching, and remaining at 100% while movement is detected, dims up to 30% output (variable) when movement is no longer detected (fully programmable)
IP Rating	IP65
Battery Working Temperature	-10°to 70°C
Actual Weight (kg)	3.5
Dimensions (mm)	258(dia) x 800(h)
Material	Die cast aluminium & PC
Certifications	IEC 61215 - IEC 61730 I and II - IEC 60904/ TUV / EMC / LM-79- 08 and LM-80 test standards / IK8 / IP65 / CE / ULOR
Materials	Die-cast marine grade aluminium, UV stabilised high-impact polycarbonate
Options	PIR sensor / dual CCT
Warranty	3 year warranty (*1 year on battery)



DIMENSIONS

SOLAR PRO 2A SOLAR BOLLARD





1300 410 485 | sales@etms.com.au | www.etms.com.au

