





SPECIFICATIONS

BLAZE FLEXA 100 | FLEXA 200

Code	ETG-15BZ049	ETG-15BZ049		ETG-15BZ050			
Model	Flexa 100	Flexa 100		Flexa 200			
LIGHT MODES							
Low	1500 lm	7 Hours	1500 lm	5 Hours	45m Throw		
Medium	4000 lm	3.5 Hours	5000 lm	2.5 Hours	85m Throw		
High	7000 lm	1.5 Hours	10,000 lm	1.0 Hours	120m Throw		
Colour Temp.	6000K -7000K	6000K -7000K		4000K / 7000K			
Mounting Options	Hook Magnet Tripo	Hook Magnet Tripod		Tripod			
Charging Time	5 Hours	5 Hours		4 Hours (Operates at 4000 lm while charging)			
Run Time	1.5 - 7 Hours	1.5 - 7 Hours		1.0 - 5 Hours			
Charging Options	Mains Car Charger	Mains Car Charger USB		Mains			
Internal Battery	7.4V 4000mAh	7.4V 4000mAh		14.4V 4000mAh			
Charging Alert	Indicator Light	Indicator Light		Indicator Light			
Lamp Quantity	3	3		2			
Power Bank	5V 1A	5V 1A		5V 2A			
IP Rating	IPX4	IPX4		IPX4			
Maximum Height	1.7m	1.7m		2.2m			
NET WEIGHT	1.955KG	1.955KG		5.49KG			
Beam Type	Wide Flood	Wide Flood		Wide Flood			
INCLUDES	Carry Bag Car Charger USB-C Charging Cable AU Plug	Car Charger USB-C Charging Cable		Carry Bag AU Plug			
Warranty	12 Months	12 Months			12 Months		



