

# AURORA PLUS

## POST TOP STREET LIGHT



The Aurora Series Street Light is a high-powered, modern design lighting solution, offering energy efficiency, excellent heat dissipation and a high lumen output. It also features timing control and is solar compatible. The Aurora Series Street Light is ideal for streets, carparks, public areas, tennis courts, council and work sites.

### MULTIPLE MOUNTING OPTIONS AVAILABLE



U-BRACKET



SLIP FITTER



STRAIGHT ARM

- ✓ Various Optics and Mounting Options For Different Applications
- ✓ Optional Intelligent Controls Available
- ✓ IP66 for Water Resistance
- ✓ 76% Less Power Use Compared to Traditional Streetlights
- ✓ High Output Lumen Efficiency, up to 140 Lm/W
- ✓ Light Weight and Low Maintenance Fitting
- ✓ 5 Year Warranty



**LEARN MORE**


# SPECIFICATIONS

## AURORA POST TOP STREET LIGHT

| Model                    | ETG-06AS010   | ETG-06AS040 |
|--------------------------|---|-------------|
| Power (W)                | 450   | 600         |
| Lumen Output (lm)        | 67,500  | 90,000      |
| Net Weight (kg)          | 16.3 ± 0.3  | 17.8 ± 0.3  |
| Dimensions (mm)          | 752 x 601 x 149   |             |
| Input Voltage            | 100-240 VAC / 100-277 V AC 50/60Hz                              |             |
| CCT (4K)                 | 4000K (Optional 3000K/ 5000K)                                   |             |
| Beam Angle               | T2 Short   T3 Short   T4 Short   T5 Short   NEMA 3x3   NEMA 6x6 |             |
| Luminous Efficacy (lm/W) | 145   |             |
| Input Surge Protection   | 6kV line-line, 10kV line-earth                                  |             |
| Operating Temp           | -30°C to +50°C  |             |
| PF                       | >0.90   |             |
| Colour                   | Black   |             |
| CRI                      | Ra70  |             |
| Driver                   | Inventronics  |             |
| Body                     | Aluminium alloy + PC Lens                                       |             |
| Finish                   | Powder Coated   |             |
| Lifespan                 | >50,000 (Ta=30°C@L70)   |             |
| Optional Controls        | DALI control/ photocell/ timer control                          |             |
| Optional Accessories     | Photocell controller / 7 pin NEMA socket                        |             |

# DIMENSIONS

## AURORA POST TOP STREET LIGHT





1300 410 485 | [sales@etms.com.au](mailto:sales@etms.com.au) | [www.etms.com.au](http://www.etms.com.au)

