


EXTERMINATOR

G2 HIGHBAY LIGHT



The Exterminator G2 Series High Bay is a premium, energy efficient LED high bay light, engineered for a wide range of commercial and industrial applications. It features an ultra-modern, compact design, high heat dissipation capabilities, and an optional microwave motion sensor to boost energy savings. The Exterminator G2 range offers multiple mounting options, including loop hanging, ceiling, or wall mount, and a variety of accessories like hanging chains, intelligent sensors, TRRS connectors, aluminum reflectors, and replacement PC lenses.

OPTIONAL MOTION & DAYLIGHT SENSOR



- ✓ **Premium, Feature-Rich High Bay Solution**
- ✓ **Low Power Consumption And Very High Efficacy up to 190 Lm/W**
- ✓ **Ultra-Modern, Compact Design With High Heat Dissipation**
- ✓ **Optional Microwave Motion and Daylight Harvesting Sensor for Additional Cost Savings**
- ✓ **Multiple Mounting Options - Loop Hanging, Ceiling and Wall Mounting**



LEARN MORE



SPECIFICATIONS

EXTERMINATOR HIGHBAY G2 LIGHT



Code	ETG-08EH004	ETG-08EH005	ETG-08EH006	ETG-08EH007
Power W	100	150	200	300
Lumen (lm)	20,000	30,000	40,000	45,000
Luminous Efficiency	200lm/W	200lm/W	200lm/W	150lm/W
Driver	Lifud	Lifud	Lifud	Meanwell
Weight	3.9 ± 0.3kg	4.3 ± 0.3kg	4.3 ± 0.3kg	5.1 ± 0.3kg
Dimensions (mm)	Ø360 ×181	Ø360 ×181	Ø360 ×184	Ø360 ×190
CCT	5000K			
LED Chips	SMD 3030			
Input Voltage	220-240 VAC 50/60Hz			
Power Factor (PF)	≥0.92			
Operating Temperature	-30°C ~ +50°C			
Beam Angle	120°			
Body Material	Aluminium Alloy and PC			
Body Colour	Black			
IP Rating	IP65			
Lens	Anti-Glare UG>25			
Driver	Lifud			Meanwell
CRI	>Ra70 (>Ra80 optional)			
Mounting Options	Loop hanging / Ceiling Mounting / Wall Mounting			
Warranty	5 Years			
Intelligent Controls	Microwave Motion & Daylight Sensor			

DIMENSIONS



EXTERMINATOR HIGHBAY LIGHT



ETG-08EH004 | ETG-08EH005



ETG-08EH006



ETG-08EH007



1300 410 485 | sales@etms.com.au | www.etms.com.au

